



EVO-A450 DTF PRINTER

7 Color System



Accommodate more different image sizes

White Ink Filtration
Circulation System


Print head
installation-free

Less powder
addition frequency

EVO A450 DTF PRINTER

Print speed	8pass(720*1200dpi): 5.3 m ² /h		
Printing media width	DTF film 450mm	Printer head	2 XP600 Print heads
Heating sections	Pre-heater/Ink sac heating/Rear heater		
Ink type	DTF pigment ink (CMYK+W+LC+LM)	RIP software	Maintop 7.1
Language	English/Chinese	Power	350w
Voltage	AC110V / 220V 50HZ/60HZ		
Environmental conditions	Temperature: 20-30°C Humidity: 45%-70%		
Printer size/Weight	1314(L)*622(W)*664(H)mm		
Packing size/Weight	1370(L)*720(W)*830(H)mm G.W 115kg		
Applications	Canvas Bag/Shoes/Cap/T-shirts/Pillows/Pants/Socks		
Functional item	Shake powder control/Powder amount control/ Temperature control		


KEY FEATURES



- # The printed color transition is more natural and more gorgeous
- # Accommodate more different image sizes
- # Printheads installation free
- # White Ink Filtration & Circulation System
- # Electric pinch roller control system
- # Less powder addition frequency

B450 POWDER SHAKER

Rewind Function	Automatic induction winding	Powder Shaker Size	1345(L)*795(W)*680(H)mm
Heating & Drying Function	The upper and lower double rows of high- efficiency heating lamps, drying, cold air fan function		
Packing Size/Weight	1440(L)*880(W)*850(H)mm GW:161kg		
Electrical Parameters	Rated Voltage: 220v Rated power: 2kw	Rated current: 20A Power consumption: 1kw-1.5kw	



Tension control system

Tension control system automatically controls tension during DTF film printing processes.

Integrated smoke purifier and internal heat circulation

Side-mounted smoke purifier, one port for air intake and one port for air exit. Hot flue circulates continuously in the machine to reduce energy loss.




Less powder addition frequency

In order to fully increase the usage rate of a bag of DTF powder, we designed a powder control system to reduce the powder addition frequency during printing

In the process of continuous market research, we found that many customers have higher printing requirements, but due to limited space, 600mm machines will occupy too much space, so we launched the new EVO A-450 dtf printer to meet the requirements of such customers. It can accommodate more different image sizes than A3 printers

KEY FEATURES

- ◆ The printed color transition is more natural and more gorgeous
- ◆ Printheads installation free
- ◆ Electric pinch roller control system
- ◆ Accommodate more different image sizes
- ◆ White Ink Filtration & Circulation System
- ◆ Less powder addition frequency




7 color system

We have designed a 7-color system for this machine, and the printed color transition is more natural and the color is more gorgeous.

Format THK silent guide

Format DTF printing, is very suitable for 12.99"-16.54" pattern size, High quality THK guides to ensure stable and quiet printing. These guides provide smooth operation and long life, making them ideal for high-end machines.



Electric pinch roller

In order to improve the control of the printer rewind system, we have designed a push key rewind release system. This reduces the difficulty in the operation of the machine and facilitates the rewinding process.

